



---

Xypex Chemical Corporation  
13731 Mayfield Place  
Richmond, British Columbia  
Canada V6V 2G9

## **Product Identifier**

---

Xypex Quickset

## **Product Use**

---

Hardener, Dustproofers, Sealer for Concrete

## **Emergency Assistance**

---

For emergency assistance involving products, contact Xypex at (604) 273-5265 or (800) 961-4477.

## **Hazardous Ingredients**

---

Silicates

## **Physical Data**

---

Physical State: liquid

Odourless

pH: 11.3

Specific Gravity: 1.2 (water)

Soluble in Water

## **Fire and Explosive Data**

---

Xypex Quickset is non-flammable and is not subject to explosion.

Flammable hydrogen gas may be produced on prolonged contact with metals such as aluminum, tin, lead and zinc. Use extinguishing media suitable for surrounding materials.

## **Reactivity Data**

---

Quickset is chemically stable.

Hazardous decomposition of Hydrogen gas may occur.

Incompatible with acids.

## Toxicology Properties

---

Ingredients may irritate eyes, nose and throat.

## Preventive Measures

---

### Personal Protective Equipment

It is recommended that user wear rubber gloves, rubber boots, NIOSH respiratory/mist mask (if spraying), tight-fitting safety goggles, and impervious clothing that protects skin from contact.

Additional safety precautions may include eyewash station and shower facility, and ventilation sufficient in volume and distribution to maintain exposure below the 10 mg/m<sup>3</sup> level.

### Disposal Procedures

Remove the clear supernatant and flush to a chemical sewer.

Incinerate in a furnace in respect to federal, provincial/state and municipal regulation regarding disposal.

### Storage Requirements

Store in dry, moderate environment, and protect from water or cold damage.

Keep in sealed steel containers until product is required.

## First Aid Measures

---

### Eye Contact

Irrigate with large amounts of water for at least 15 - 20 minutes. Seek immediate medical attention.

### Skin Contact

Under running water, remove contaminated clothing, shoes and leather goods.

Continuously flush contaminated area with lukewarm, gently flowing water for at least 20 - 60 minutes.

Seek immediate medical attention.

### Inhalation

Move person to fresh air and seek immediate medical attention.

### Oral Ingestion

Drink 1 cup (240 - 300 ml) of water followed by dilution with milk, if available. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Seek immediate medical attention.

---

**MSDS prepared by the Technical Services Department of Xypex Chemical Corporation, April 17, 2013.  
For emergency assistance involving products, call Xypex at (604) 273-5265 or (800) 961-4477.**

---

*The information in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information given is based on technical data that we believe to be reliable at the time of issuing the MSDS. Because conditions of use are outside our control, it is the responsibility of the user to verify safety data for combinations with other materials, or for use in specific processes, and to verify waste disposal requirements.*